



DATA SHEET

SY LED

IP 67

Colour	Product No.
Stainless steel	1545170
Gold	1545171



Product No.	Power	lm	K	CRI	IP	Size
1545170	1 W / 350 mA	39	3000	> 85	67	H 45 x W 45 x D 24 mm
1545171	1 W / 350 mA	39	3000	> 85	67	H 45 x W 45 x D 24 mm

NB ! Equipped with a 5 m connection cable.

RECOMMENDED TRANSFORMER SETS:

Transformer	Product No.	Dimmer	Min lamps	Max lamps
Osram OTe 13/220-240/350 PC	1532283	*	6	9
Osram OTe 18/220-240/350 PC	1532284	*	9	17
Osram OTe 20/220-240/350 PC	1532266	*	15	18
Osram OT 9/220-240/350 DIM	1532268	1 - 10 V	1	7

* Leading and Trailing Edge Dimmer

Cariitti Oy
www.cariitti.com


Munkinmäentie 9
02400 Kirkkonummi
Finland

Subject to change.






DATA SHEET



NB! Equipped with a 5 m connection cable.




MAINS DIMMABLE



Ambient temperature 0°C ... + 45°C

1532283


MAINS DIMMABLE



Ambient temperature 0°C ... + 45°C

1532284


MAINS DIMMABLE



Ambient temperature 0°C ... + 45°C

1532266

DIM 1 - 10V



Ambient temperature 0°C ... + 45°C

1532268